

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

**Listing of Claims:**

1.-13. (Canceled)

14. (Currently Amended) A process for manufacturing an inkjet recording sheet comprising at least one layer containing a cationic particulate organic component on a sheet support, wherein the layer comprises a void-forming component consisting essentially of a cationic particulate organic component which does not include a benzene ring, said process comprising the steps of:  
copolymerizing (A) an alkyl(meth)acrylate and  
[[B]] (B) an amino group containing (meth)acrylate monomer  
to obtain a cationic particulate emulsion, said cationic particulate being a copolymer having a non-crosslinked structure;  
cast coating a coating composition containing the emulsion on a sheet support; and  
pressing a mirror roll onto the coated surface.

15. (Previously Presented) The process for manufacturing the inkjet recording sheet as claimed in Claim 14, wherein the surface temperature of the mirror roll is lower than a glass transition temperature of the cationic particulate organic component.

16. (Previously Presented) The process for manufacturing the inkjet recording sheet as claimed in Claim 14, wherein the cationic particulate organic component is a thermoplastic particulate resin.

17. and 18. (Canceled)

19. (Previously Presented) The process for manufacturing the inkjet recording sheet as claimed in Claim 14, wherein the glass transition temperature of the cationic particulate organic component is 65°C to 200°C both inclusive.

20. (Previously Presented) The process for manufacturing the inkjet recording sheet as claimed in Claim 14, wherein the weight average molecular weight of the cationic particulate organic component is 60000 or more.

21. (Previously Presented) The process for manufacturing the inkjet recording sheet as claimed in Claim 14, wherein the recording sheet has a liquid absorption of 2.00 to 4.00  $\mu\text{L}$  0.1 sec after dropping 4  $\mu\text{L}$  of pure water on its recording surface and has gloss of 50 or more at 75 °.

22. (Previously Presented) The process for manufacturing the inkjet recording sheet as claimed in Claim 14, wherein the recording sheet has a liquid absorption per contact area of a droplet of 0.5 to 2.00  $\mu\text{L}/\text{cm}^2$  0.1 sec after dropping 4  $\mu\text{L}$  of pure water on its recording surface of the recording sheet.

23. (Previously Presented) The process for manufacturing the inkjet recording sheet as claimed in Claim 14, wherein the layer containing the cationic particulate organic component is the outermost layer of the recording surface.

24. (Previously Presented) The process for manufacturing the inkjet recording sheet as claimed in Claim 14, wherein the sheet support is a paper or plastic sheet.

25. (Previously Presented) The process for manufacturing the inkjet recording sheet as claimed in Claim 14, wherein the layer containing the cationic particulate organic component contains no inorganic particles.

26. (New) The process for manufacturing the inkjet recording sheet as claimed in Claim 14, wherein the alkyl(meth)acrylate of (A) is selected from the group consisting of methyl acrylate, ethyl acrylate, isopropyl acrylate, n-butyl acrylate, isobutyl acrylate, n-amyl acrylate, isoamyl acrylate, n-hexyl acrylate, 2-ethylhexyl acrylate, octyl acrylate, decyl acrylate, dodecyl acrylate, octadecyl acrylate, cyclohexyl acrylate, methyl methacrylate, ethyl methacrylate, isopropyl methacrylate, n-butyl methacrylate, isobutyl methacrylate, n-amyl methacrylate, isoamyl methacrylate, n-hexyl methacrylate, 2-ethylhexyl methacrylate, octyl methacrylate, decyl methacrylate, dodecyl methacrylate, octadecyl methacrylate, and cyclohexyl methacrylate and the amino group containing (meth)acrylate monomer is selected from the group consisting of N,N-dimethylaminoethyl acrylate, N,N-dimethylaminoethyl methacrylate, N,N-dimethylaminopropyl acrylate, N,N-dimethylaminopropyl methacrylate, N,N-t-butylaminoethyl acrylate, N,N-t-

butylaminoethyl methacrylate, N,N-monomethylaminoethyl acrylate, N,N-monomethylaminoethyl methacrylate; N,N-dimethylacrylamide, N,N-diethylacrylamide, N,N-diethylmethacrylamide, N,N-dimethylaminopropylacrylamide, N,N-dimethylaminopropylmethacrylamide, N,N-dimethylaminoethylacrylamide, N,N-dimethylaminoethylmethacrylamide, N-isopropylacrylamide; quaternary salts of the above aminoalkyl (meth)acrylates, N-aminoalkylacrylamides and N-aminoalkylacrylamides quaternarized with halomethyl and haloethyl, where halo represents chloride, bromide, iodide; acryloylmorpholine; 1,2,2,6,6-pentamethyl-4-piperidyl methacrylate and 2,2,6,6-tetramethyl-4-piperidyl methacrylate.